



8350 REPUBLIC AIRPORT
FARMINGDALE, NY 11735
(631)465-0588

STANDARD OPERATING PROCEDURES

REVISION 1.0.4

Record of Revisions

Revision	Date	Page Range	Description
1.0.0	06/25/2019	–	Initial document creation.
1.0.1	02/05/2023	2-49	General Revisions-BV
1.0.2	12/24/24	29-30	Additional Restrictions -ES Winter operations-PC
1.0.3	3/25/2025	Page 23	Student Solo Procedures- ES
1.0.4	4/22/2025	Page 12	Progress Check with IP-BV

INTRODUCTION	1
Long Island Aviators – Divisions	2
Chief Pilot	2
Flight Desk / Office Staff (FD)	2
Flight Desk / Office Staff	2
Instructor Pilots (IP)	3
Student Advocates	3
Pilot On boarding	4
Personal Information	4
Certificates	5
Endorsements and Flight Reviews	5
New Student Pilots – U.S. Citizens	6
New Student Pilots – Non-U.S. Citizens	7
Unauthorized Instructors	7
Safety Culture	8
Reporting of Accidents and Incidents	8
Non-Retaliatory Policy	8
Communication	8
Traffic and Flight Information	9
We highly encourage pilots to obtain “ATC RADAR SERVICES” when possible	9
Portable ADS-B In Receivers	9
Scheduling	10
Online Scheduling	10
Scheduling instructional times	10
Reservations requiring an IP	10
Reservations with Progress check instructors	11
Pilot Code of Conduct During Training	12
Equipment/DocuMENTS	13
Preflight Inspection	13
Post-flight Inspection	14
Preflight/Post-flight Instructor Briefing	15
Fuel Requirements	15
Ramp Operations	16
Windscreen Care	16
Equipment Care	16

Engine Starting	17
Fueling-Line Service	17
Fueling-Self Service	18
Fueling at Outstation Airports	18
Taxiing	19
Parking	19
Ramp Security	20
IMPORTANT	20
See Something-Say Something	20
Local Operations	21
WEATHER BRIEFINGS/WEATHER MINIMUMS	21
<i>WEATHER MINIMUMS FOR LIA OPERATIONS CAN ONLY BE WAIVED BY MANAGER</i>	21
Weight and Balance/Performance	22
Supervised solo	23
solo Cross Country	23
Aircraft Limitations	24
Noise Abatement	24
Practice Areas	25
Radar Services	25
Flight Maneuvers	25
Instrument Approaches	25
Parachute Activity	26
Glider Activity	26
Minimum Altitude	26
Spin Restrictions	26
Instrument Training Operations Partial Panel Instrument Maneuvers	26
Night Training Operations	27
MEDIA AND COMMUNICATION	28
News Media Communication	28
Social Media	28
GENERAL FLIGHT RESTRICTIONS	29
WINTER OPERATIONS	30
WINTER OPERATIONS	29

INTRODUCTION

The Flight Standards and Operating Procedures Manual (herein known as the SOP) is a company publication containing regulations, policies, and procedures applicable to all Long Island Aviators (LIA) flight operations. Material contained herein applies to all pilots operating LIA aircrafts to ensure the safety and efficiency of LIA flight operations.

In addition to the policies and procedures contained herein, all flight training operations must be conducted in accordance with LIA's approved Training Courses, Title 14 and 49 of the Code of Federal Regulations (CFR), specific Pilot Operating Handbooks (POH), Airplane Flight Manuals (AFM), Information Manuals (IM), company issued checklists, and Flight Information Notices (FIN)*. Crewmember (pilot) practices that are not documented herein are permitted as long as they do not conflict with the documented regulations, policies, and procedures.

All pilots must review the SOP and supplemental documents as a matter of normal pre-flight activity. www.longislandaviators.com/rules-regulations.

Compliance with the rules and policies stated in this manual and the other policy documents stated above is mandatory.

It is the responsibility of all LIA pilots to notify the Training Managers(TM) of errors or omissions found in this manual. Suggested changes or revisions may be submitted in writing to the Chief Flight Instructor.

**Flight Information Notices (FIN) will be issued periodically and incorporated into the SOP upon revision. All are encouraged to submit proposals (FIN) to LIA Manager.*

LONG ISLAND AVIATORS – DIVISIONS

The following division titles are used throughout this document.

CHIEF PILOT

- Dennis Angermaier

FLIGHT DESK / OFFICE STAFF (FD)

- Isabella Sosa
- Lauren Porrello

FLIGHT DESK / OFFICE STAFF

<u>Name</u>	<u>Telephone</u>	<u>E-mail</u>
Flight Desk	631-465-0588	info@longislandaviators.com

INSTRUCTOR PILOTS (IP)

Each student is assigned to a specific Instructor Pilot for the duration of their training. An IP may be substituted in the event the student's primary instructor is unavailable due to illness or emergency.

Long Island Aviators uphold a training philosophy that minimizes the possibility of students being "shuffled around" to different instructors throughout their training program. If the student experiences this, the student must contact the Training Managers for immediate resolution.

If an instructor needs to be substituted for any reason the IP or student must make the request with a TM and include a written request with reasons.

The immediate contact for students is his/her assigned IP. The IP is responsible for all concerns and should be able to assist with most problems that the students encounter.

In the event more assistance is necessary, the student should not hesitate to contact their TM. IP's and TM can be contacted directly via email, phone call, or text message.

STUDENT ADVOCATES

Part of the responsibilities of the Training Managers is to assist students who encounter problems with their IP.

Students are encouraged to discuss their training and/or any concerns with their progress with their TM.

The Training Managers will address all issues as soon as practical with professionalism and courtesy.

Students are responsible for periodic updates on their training plan and can be provided with any information they request through their instructors.

PILOT ON BOARDING

Welcome to Long Island Aviators!

This section describes the pilot on boarding procedures for new student pilots and certificated pilots.

All pilots will be invited to Long Island Aviator's scheduling and pilot management portal via email. The portal URL is: www.holdshort.com

After acceptance of the invitation, pilots must complete their pilot profile by providing the following information:

PERSONAL INFORMATION

- Full Name
- Country
- Address
- City
- State
- Zip/Postal Code
- Date of Birth
- Weight
- Mobile Phone Number or Home Phone Number (XXX-XXX-XXXX)
- Email

Documents

- Driver License or Government Issued Photo ID
- Renter's Insurance with a minimum of \$40,000 aircraft hull damage coverage. Day to Day insurance is not allowed.
- BasicMed Medical Education Course Completion Certificate(pilots operating under BasicMed)
- BasicMed Medical Exam (last page only for pilot is operating under BasicMed)

CERTIFICATES

- Pilot Certificate (Front and Back)
- Most recent Medical Certificate (even for BasicMed)

ENDORSEMENTS AND FLIGHT REVIEWS

- Complex Endorsement (if applicable)
- Most recent FAA Flight Review endorsement
- Flight Instructor Certificate (Front and Back)(LIA CFIS ONLY)
- Ground Instructor Certificate (Front and Back)(LIA CFIS ONLY)
- TSA Recurrent Training Completion Certificate(LIA CFIS ONLY)

Once all required documents have been uploaded, contact the **Front Desk** to review your pilot profile for accuracy. Once the review has been completed satisfactorily, the pilot will be able to utilize LIA resources, limited to the pilot's experience and company check out policy.

NEW STUDENT PILOTS – U.S. CITIZENS

This section applies to all student pilots seeking the following flight training:

- Sport Pilot
- Recreational Pilot
- Private Pilot
- Instrument Rating
- Multi Engine Rating

All student pilots are required to provide to Long Island Aviators one of the following proofs of U.S. citizenship as listed in 49 CFR § 1552.3

1. Valid, unexpired United States passport.
2. Original or government-issued certified birth certificate of the United States, American Samoa, or Swains Island, together with a government-issued picture identification of the individual.
3. Original United States naturalization certificate with raised seal, or a Certificate of Naturalization issued by the U.S. Citizenship and Immigration Services (USCIS) or the U.S. Immigration and Naturalization Service (INS) (Form N-550 or Form N-570), together with a government-issued picture identification of the individual.
4. Original certification of birth abroad with raised seal, U.S. Department of State Form FS-545, U.S. Department of State Form DS-1350, together with a government-issued picture identification of the individual.
5. Original certificate of United States citizenship with raised seal, a Certificate of United States Citizenship issued by the USCIS or INS (Form N-560 or Form N-561), or a Certificate of Repatriation issued by the USCIS or INS (Form N-581), together with a government-issued picture identification of the individual; or
6. In the case of flight training provided to a Federal employee (including military personnel) pursuant to a contract between a Federal agency and a flight school, the agency's written certification as to its employee's United States citizenship or nationality, together with the employee's government-issued credentials or other Federally-issued picture identification.

The student will be assigned to an authorized Long Island Aviators instructor. The instructor will visually check the proof of citizenship document as described above and issue the appropriate endorsement to the student.

The above endorsement will be affixed to the student's logbook. The instructor will obtain a photocopy or photo of both the proof of citizenship document and the above endorsement for Long Island Aviator's records.

If the student already carries the above endorsement issued by another instructor, **Long Island Aviators will not honor this endorsement.** A new endorsement will be issued to the student.

NEW STUDENT PILOTS – NON-U.S. CITIZENS

For non-U.S. citizens, the following procedures must be carried out by the alien student:

Review the following web site: fts.TSA.dhs.gov/home

1. New pilots must present themselves to Long Island Aviators, fill out all necessary document and take a picture. Further Instructions can be found on.

fts.TSA.dhs.gov/home - Long Island Aviators must be selected as the school of training.

2. The front desk staff will also have all required documents and picture before approving any sort of training.

3. Student cannot start training until prerequisites are met. Government issued photo identification document and passport-style photo must be submitted to the Flight Desk.

UNAUTHORIZED INSTRUCTORS

Flight/Ground Instruction is only permitted by authorized Long Island Aviators Instructors.

Failure to adhere to this policy is grounds for expulsion from Long Island Aviators.

Any employee witnessing unauthorized instruction using LIA resources should contact the managers.

SAFETY CULTURE

Safety is a primary concern at Long Island Aviators. Adherence to developed operational policy, procedures, and flight-training curriculum is an essential part of our safety philosophy. The effectiveness of our safety culture relies on the unrestricted flow of information between instructors, students, staff, maintenance personnel, and management. Participation in this safety culture is critical to the continued safety of our flight environment.

Long Island Aviators encourages a proactive approach by emphasizing hazard identification, accident prevention, creation and dissemination of safety procedures, and safety education.

Everyone is encouraged to submit concerns via e-mail to Manager for evaluation and if required, procedures creation and/or modification.

Information voluntarily supplied (which does not involve negligence, deliberate violations or criminal acts) will not be used for punitive action or implication of guilt by anyone.

Long Island Aviators is committed to the concept that safety is an integral part of all flight training, flight operations, and maintenance operations.

REPORTING OF ACCIDENTS AND INCIDENTS

All accidental damage to Long Island Aviators airplane and equipment; injury to students, employees, and flight observers resulting from airplane operation; or damage to non-Long Island Aviators property or injury to members of the general public resulting from Long Island Aviators flight training operations or maintenance operations shall be reported to a **Manager** as soon as possible.

NON-RETALIATORY POLICY

Long Island Aviators uphold a strict non-retaliatory policy.

The primary concern at Long Island Aviators is the identification of hazards and hazardous attitudes, actions, and/or behaviors so that they can be addressed appropriately to enhance safety for everyone.

Individuals who report safety related concerns or incidents or events that pose a safety hazard to any operations will be kept anonymous and free from retaliation or accusation.

COMMUNICATION

All pilots are encouraged to use standard phraseology as recommended in the AIM.

Avoid unprofessional phrases such as:

- “with a flash”, “fish finder”, “punching out”, “with you”

IPs are required to maintain professional communication standards on all flights.

TRAFFIC AND FLIGHT INFORMATION

WE HIGHLY ENCOURAGE PILOTS TO OBTAIN “ATC RADAR SERVICES” WHEN POSSIBLE

PORTABLE ADS-B IN RECEIVERS

The use of portable ADS-B receivers is permitted in LIA aircrafts. The pilot assumes all liability with the limitations and use of these devices, and the information provided by them. Pilots are strongly advised to fully understand how to use these devices prior to flight.

SCHEDULING

This section will cover all requirements for scheduling events with an IP. Events can be scheduled via the Mobile app or the website. In cases where the app is not responding, syncing the data on the last tab should fix a majority of all issues. In the cases that it does not; use the website.

ONLINE SCHEDULING

Scheduling is available via www.holdshort.com website. Pilots with active accounts will have access to the reservation calendars for the airplane(s) they are approved to operate.

Pilots are required to maintain their pilot profile with the most current information. This includes documents, certificates, and endorsements.

When creating a reservation please make sure to fill in the destination airport, if other than Local. Fill in the comments section with important information pertaining to the flight. Some examples are:

“ Commercial Progress check for John Smith, CFI Adam B”

“ Check out for John Smith”

“Solo Progress for John Smith CFI Adam B.”

“Initial Solo, CFI Adam B”

The comments are not limited to only those examples and can also include suggested activities for IP filling in for other IPs

Prior to any single pilot activity all pilots must have a completed profile with all required information in holdshort.

IP's and student pilots are responsible for a valid account.

“Student Reservation” tabs are only to be used for introductory flights and non- student events.

SCHEDULING INSTRUCTIONAL TIMES

IPs are responsible for managing their student's training schedule. Students must work with their IP in devising a training schedule. The IP or the student will then reserve the necessary resource on the Holdshort app/website.

RESERVATIONS REQUIRING AN IP

No pilot may reserve any resource with an IP without prior communication with the IP. Once communication with the IP is made, the IP or student will reserve the required resource(s).

Instructional blocks are defaulted for two (2) hours with a maximum of (4) four hours. Any additional time must be booked as a separate event. Any single person reservation exceeding 6 hours must be approved by the Manager, TM or FD.

RESERVATIONS WITH PROGRESS CHECK INSTRUCTORS

No pilot may reserve any resource with a progress check IP(check airmen) without prior communication with the IP. Once communication with the IP is made, the IP or student will reserve the required resource(s).

Instructional blocks are defaulted for two (2) hours with a maximum of (4) four hours. Any additional time must be booked as a separate event.

Long Island Aviators requires there be a progress check for the following stages

- Student Pre-Solo with an oral ground check (must be completed with 45 days of endorsement)
- Private pilot check ride progress check, with an oral ground check.
- Instrument rating check ride progress check with an oral ground check
- Commercial Pilot check ride progress check with an oral ground check
- Multi Engine (initial or add-on) progress check with an oral ground check

For the CFI initial, CFI-I and the MEI check rides a progress check is not required but recommended. It is also at the IP discretion to conduct a progress check.

For any progress check conducted by any progress check IP, a flight check report must be filled out and completed and submitted in a timely manner at the conclusion of the evaluation.

All SOLO time must be conducted within 45 days of the SP's progress check and can only be waived by the Manager /Training Manager/Chief Pilots.

The Check airmen IP whom started the progress check must also complete the check regardless of the outcome. If additional flights are needed, the same check airmen must be used. The check airmen must also sign the check ride checklist approving any SP for a check ride.

PILOT CODE OF CONDUCT DURING TRAINING

It is important that during training the IP and student pilot have each other's full attention. The following activities by an IP or student pilot are not authorized during any training activity (including solo):

- Use of cell phone for personal use
- Eating a meal
- Listening to an audio player
- Playing on any electronic device
- Any other activity that distracts from the quality of instruction and safety of flight

Both IPs and student pilots must evaluate their fitness for flight. Pilots should use the "PAVE" and "IMSAFE" checklist as a framework:

Pilot

Personal minimums will include pilot health and experience and can be evaluated in depth with the I'M SAFE checklist. How many hours of sleep do you usually need to function well? Are you healthy? Have you battled any illness or are you on any medications? How much flight experience do you have in the aircraft you're about to fly? How many hours have you flown in the past week/month/year? Are you rusty? Stressed? All of these factors can affect your flight.

Aircraft

Is the aircraft airworthy? Did it undergo any inspections recently? Do you have the fuel necessary? Are you comfortable with the weight and balance and performance for the flight? Do you know the aircraft limitations? Do you have current charts? Is the GPS up-to-date?

Environment

What's the weather like? Are you comfortable and experienced enough to fly in the forecast weather conditions? Have you considered all your options and left yourself an "out"? Are you instrument-current? Are you comfortable with the type of approaches available to you? Did you check PIREPs and NOTAMs? Are you comfortable flying in busy airspace or on edge about the air traffic control situation? Does the aircraft have heat or air conditioning? Are you familiar with the terrain?

External Pressures

Are you stressed or anxious? Is this a flight that will cause you to be stressed or anxious? Is there pressure to get to your destination quickly? Do you have a plan B? Are you dealing with difficult passengers or an unhealthy safety culture? Are you being honest with yourself and others about your pilot abilities and limitations?

IMSAFE

Any pilot that does not satisfy the IMSAFE checklist should not begin the flight activity. Any deterioration to the pilot's ability to satisfy the IMSAFE checklist during flight should terminate the flight activity as soon as practicable.

EQUIPMENT/DOCUMENTS

Pilots should have all appropriate equipment readily accessible and well organized to facilitate its use during flight. For all students, this includes at least the following:

- Pilot Certificate
- Medical Certificate (unexpired)
- Logbook (with appropriate endorsements)
- Airport access badge
- Government issued photo ID
- Completed Airplane Data Card
- Headset(s)
- Unexpired aeronautical chart(s) appropriate to the planned flight.
- A functioning, adequate, and reliable flashlight for any flight conducted during legal nighttime should be used.

PREFLIGHT INSPECTION

It is the pilot's responsibility to verify that all the equipment required for the particular flight is functioning and has been properly inspected/checked prior to flight. Any discrepancy or airplane damage discovered during the preflight inspection must be reported immediately to the Maintenance Managers. To report discrepancies/damage, simply group text the following:

Sample message: "N21394: Taxi light out of service."

Document the discrepancies/damage in the airplane discrepancy log when submitting QR code.

All airplane preflight inspections must be accomplished with checklist in-hand, and in accordance with its content. There are several options for pilots needing assistance during preflight. The office personnel may be contacted for operational problems. Nearby IPs may also be able to help.

Getting assistance is the mark of a careful and safety-conscious pilot.

Pilots should move the airplane during preflight inspection in order to check the underside tire condition.

IPs must supervise all preflight inspection activities until the student pilot is proficient.

In addition, to avoid creating a hazardous situation on the ramp, ensure that the wheel chocks are placed (not stacked) on the base of the tie-down during preflight. This will help to prevent chocks from being struck by airplane landing gear and propellers during ramp operations.

POST-FLIGHT INSPECTION

It is the pilot's responsibility to complete the post-flight inspection checklist or "Secure" checklist. Any discrepancy or airplane damage discovered during the post-flight inspection must be reported immediately to LIA/ Manager/FD. To report discrepancies/damage, simply group text the following:

Sample message: "N21394: Taxi light out of service."

Document the discrepancies/damage in the airplane discrepancy log when submitting times on the online log.

All airplane post-flight inspections must be accomplished with a checklist in- hand, and in accordance with its content. There are several options for pilots needing assistance during post-flight. The office personnel may be contacted for operational problems. Nearby IPs may also be able to help. Requesting assistance is the mark of a careful and safety-conscious pilot.

Instructor Pilot **must** supervise all post-flight inspection activities.

Aircraft parked on the Atlantic Ramp all have engine heaters. Select aircrafts at the Echo ramp have engine heaters. All aircrafts will be plugged in starting November 1 and while the plugs are available.

If it becomes necessary to temporarily leave the airplane unattended, the airplane will be secured in the following manner:

- Two tie-downs or two chocks at the main wheels
- All windows closed
- All doors closed. The pilot-in-command is responsible for his/her airplane from the time the airplane is accepted by the pilot-in-command until the airplane is returned.

Any damage occurring to an airplane must be reported immediately to Long Island aviators/partners or office staff. To report discrepancies/damage, simply group text the following:

Sample message: "N21394: Taxi light out of service."

Document the discrepancies/damage in the airplane discrepancy log.

Any unreported damage discovered on any airplane will become the responsibility of the last person to have used the resource. Therefore, it is imperative that the pilot-in-command complete a thorough preflight and post flight inspection.

If any damage is discovered, it must be reported immediately.

PREFLIGHT/POST-FLIGHT INSTRUCTOR BRIEFING

Prior to each flight the IP must brief the student on the objective of the flight along with the learning objectives and completion standards of the flight. After the activity, a similar briefing is required.

The student and instructor will make an entry in the student logbook with relevant remarks. The instructor will endorse the flight with their signature, instructor certificate number, and certificate expiration date.

It is extremely important that the debrief process follows immediately after each activity in order to give the student immediate feedback/critique for the activity. The instructor should ensure that all times in the student's logbook are accurate and correct.

For the purpose of solo activities, the student is responsible for ensuring that all recorded times are accurate in their personal logbook. The instructor will endorse all solo activities with their signature, instructor certificate number, and certificate expiration date.

Students are not to be billed for time the instructor was not providing training services. However, students will be billed for pre-brief and post-brief time. The rate at which it is billed at is .1 for every 6 minutes spent with the student.

Any time ground time should be logged and billed appropriately on the online QR code.

Excessive lateness can be billed with approval of the Manager/TMs/FDs.

FUEL REQUIREMENTS

Except for spin flights and upset training flights within the curriculum, all LIA aircrafts departing for a local flight must have a minimum of one-half of the maximum fuel capacity on board. All dual and solo cross-country flights are required to depart fueled with at least one-hour reserve.

If the PIC determines that the fully-fueled airplane exceeds any weight or center of gravity limitations, as is sometimes the case when an observer is on board, the flight may depart with less than the maximum fuel capacity to ensure weight and center of gravity limitations are not exceeded.

All solo cross-country flights are required to depart fully fueled to the maximum capacity without exception.

RAMP OPERATIONS

This section contains policies and guidelines for LIA pilots involved in various ramp operations. The ramp area is a potentially hazardous area and safety must be the prime consideration when conducting activities in this area.

Considerable activity may be present due to airplane taxiing, fuel, and maintenance truck operation, and pilot and mechanic movement around the airplane. Only personnel who have specific duties to perform should access the ramp, all others should remain clear.

People walking on the ramp must remain 25 feet from the parked airplane to avoid unexpected starting or moving of the airplane. Running, cell phone use, and the use of portable media players (e.g., iPods, CD players, etc.) on the ramp is strictly prohibited.

No one is permitted to approach, board, or exit the airplane with the engine(s) running except for authorized maintenance personnel. IPs initiating a supervised solo flight will taxi the airplane to a point on the airport where the airplane can be shut-down before the instructor deplanes, and likewise before boarding again.

WINDSCREEN CARE

Scraping any surface on the airplane with abrasive materials is prohibited. Scraping windshields with credit cards, ice-scrapers, or other abrasive materials will scratch the windshield, decreasing the effectiveness of vision outside the airplane and creating a hazard with regard to collision avoidance.

Use of cleaning materials other than those provided may result in damage to the windshield. Do not use dirty rags or chamois wipes. Use **ONLY** clean wipes designed for use on acrylic windshields. Do not use any ammonia-based window cleaner products.

At no time will any markings or unapproved stickers be placed on the windshield.

To prevent damage to the inside of the windshield, **nothing** is to be placed on top of the instrument panel. Clipboards, headsets, and other equipment typically cause frequent unintentional damage and should be placed elsewhere.

EQUIPMENT CARE

Pilots are expected to keep the airplane and ramp areas clean and free of debris. At no time will food or beverages (except water) be consumed in LIA aircrafts. Anything brought into the airplane should be removed after the flight. Pilots must remove all trash from the airplane regardless of its origin.

No food or drink (including water) is allowed near the aviation training devices (ATD) or simulators.

Any and all spills should be reported immediately.

ENGINE STARTING

Before starting any engine on the ramp, all pilots must verbally and visually ensure that the propeller area is clear, per the engine start checklist specific to that airplane. Engine(s) may not be started if the airplane on either side is being fueled.

To prevent damage to the doorstop mechanism caused by propeller blast, pilots will ensure that during engine starting and taxiing, airplane doors are securely shut or are manually held off the doorstop mechanism. Airplane doors will not be locked in the full-open position during engine starting and/or taxiing.

The hand-propping of any LIA airplane is prohibited except authorized LIA personnel. If the pilot is unable to start the engine, he/she should notify the Flight Desk, who will then notify maintenance.

Engine starting in reported temperatures of less than 32°F is **prohibited** unless it is preheated for at least 1 hour

FUELING-LINE SERVICE

Fuel quantity should be checked immediately upon reaching the airplane, prior to starting the pre-flight inspection. If fuel is needed, notify **Atlantic Aviation on frequency 129.000 or (631) 752-9022** immediately so that a fuel truck can be dispatched.

Planes located on Echo Ramp, will use **Republic Jet Center North on frequency 131.4**.

Prior to engine shut down at the conclusion of the flight, the pilot-in-command shall request fuel service. Do not attempt to wave the fuel truck down.

Anytime the fuel truck is parked in front of your airplane for the purpose of servicing the airplane,

- All occupants must be out of the cockpit and clear of the airplane by at least 25 feet.
- Ensure that all electrical switches and ignition switches are in the OFF position.

Fueling personnel are responsible for properly grounding the airplane. The pilot-in-command must notify the Chief Pilot or Assistant Chief Pilot if any line service safety procedures are not followed.

Aviation fuel **SHALL NOT** be dumped on any ramp. All LIA aircrafts are equipped with fuel drain-strain containers (GATS jar). The pilot must sump the airplane using the airplane's fuel drain-strain container (which has a screen on top of the container) prior to removing any tie-downs so that if contaminated fuel must be disposed of, the airplane may be left unattended.

Uncontaminated fuel will be returned to the airplane by pouring it back through the screen-side of the fuel drain-strain container into the airplane's fuel tanks.

Pilots suspecting contaminated fuel will continue to drain fuel until the fuel is acceptable

FUELING-SELF SERVICE

At times there are locations where there are no fueling personnel. In that instance

1. Ensure that all electrical switches and ignition switches are in the OFF position.
2. At least one tie-down shall remain attached to the airplane and two sets of chocks on the landing gear.
3. Connect the grounding cable to a metal part of the airplane.

The fueler must touch a metal part of the airplane to discharge any static electricity. The fueler must be aware that some clothing materials are prone to and easily generate static electricity.

Use of cellular devices during fuel operations is strictly prohibited.

Aviation fuel SHALL NOT be dumped on any ramp. All LIA aircrafts are equipped with fuel drain-strain containers (GATS jar). The pilot must sump the airplane using the airplane's fuel drain-strain container (which has a screen on top of the container) prior to removing any tie-downs so that if contaminated fuel must be disposed of, the airplane may be left unattended.

Uncontaminated fuel will be returned to the airplane by pouring it back through the screen-side of the fuel drain-strain container into the airplane's fuel tanks.

Pilots suspecting contaminated fuel will continue to drain fuel until the fuel is acceptable.

The pilot-in-command shall complete a 360° walk around of the airplane after the completion of the self-service fueling operation to assure that the airplane is free from tie-downs, chocks, or fuel service hoses and lines.

FUELING AT OUTSTATION AIRPORTS

Before authorizing the refueling of the airplane, ensure that there is a credit card available to pay for the fuel prior to departure.

LIA will reimburse the fuel purchase with an original receipt up to the value of the receipt but not greater than the fuel rate with the company's fuel service provider.

In the event the fuel purchased at the outstation airport is higher than the company's fuel provider's rate, the company's fuel provider rate will be used to calculate the reimbursement amount.

TAXIING

When taxiing in congested areas such as the ramp, the speed at which the airplane moves should be equivalent to a normal walking speed, with as little power as necessary. The airplane must be capable of an immediate stop if conditions require it. The following speeds are maximum ground speeds allowed during taxi operations:

Ramping	5 knots
Non-movement Areas	10 knots
Movement Areas	15 knots

In all taxi operations, the appropriate taxi speed is that which gives the pilot safe, positive control at all times. A sterile cockpit shall be maintained while taxiing on the ramp.

As the airplane moves out of the tie-down position with minimum power required to initiate movement, brakes on the pilot's side and passenger's side (on dual flights) will be tested to ensure proper operation. If complete brake failure is encountered, the engine(s) must be immediately shut down.

Extra care should be taken when taxiing in the proximity of fuel trucks or other vehicles on the ramp. No attempt should be made to taxi around any vehicles.

Airplane departing the ramp must give way to an airplane entering the ramp. Airplane exiting hangar alleys must give way to airplane taxiing on taxi lanes. Airplane has the right of way over all land-based vehicles.

Taxiing into a tie-down spot is strictly prohibited. The flight crew must plan to utilize the airplane's tow bar to push the airplane into position.

Taxiing over tie down ropes or straps is strictly prohibited.

PARKING

The Grumman Cougars shall be filled to the 40 Gal tabs unless the PIC requires more fuel.

All aircraft will be parked in the designated parking spot. The pilot-in-command must position the airplane outside of the parking box for shutdown procedures.

Any changes of the parking spots will be communicated through email.

Pushing on any part of the empennage, propeller spinner, or cowling is strictly prohibited.

Pilots must ensure that the airplane is parked and properly secured. Tie-downs should be tightened in such a manner as to firmly secure the airplane, but not so tight as to place the wings under tension. When exiting the airplane, ensure that all switches are off and that all trash and personal items have been removed.

RAMP SECURITY

Access to the airport ramps is governed by Republic Airport's FAA-approved security program. Only approved students, instructors, maintenance, and flight training personnel may pass through the security gate onto the ramp.

All LIA students must wear the approved airport security badge clearly visible above the waist when on the airport ramps. An escort, displaying approved airport identification, must accompany all others.

Students and instructors who have applied for but have not yet been given an airport security badge may be escorted by any airport security badge holder to access the ramp..

Under no circumstances shall anyone step from the ramp onto the ground controlled movement areas. Doing so is a violation of Federal regulations.

IMPORTANT

Safety and security are the responsibilities of every person associated with LIA. It is only through the cooperation and active participation of all flight personnel that a safe operating environment can be ensured.

SEE SOMETHING-SAY SOMETHING

As a LIA airport security badge holder, it is your responsibility to observe and report any suspicious activity.

Observe and take notes on the suspicious person(s) and the activity. Report the information to Airport Operations at 631-386-6108 or 800-GA-SECURE (800-427-3287).

Do not confront an unknown individual.

LOCAL OPERATIONS

This section contains procedures for operations in the local area, including those airports located near the practice area that are approved for use by LIA aircraft.

Filing flight plans for operations to approved airports within the practice area is not required. However, pilots must indicate their destination on the flight activity in Holdshort. If the destination has changed, the IP must revise this information.

WEATHER BRIEFINGS/WEATHER MINIMUMS

All pilots are required to obtain a standard VFR or IFR weather briefing prior to flight via:

- 1-800-WX-BRIEF (800-992-7433)
- www.1800wxbrief.com
- Electronic Flight Bag

Pilots may supplement their weather briefing via:

- www.aviationweather.gov
- Mobile app
- ForeFlight

WEATHER MINIMUMS FOR LIA OPERATIONS;

- | | |
|---|--------|
| • Ceilings (IFR OPS) ARRIVAL/DEPARTURE | 800' |
| • Visibility (IFR OPS) ARRIVAL/DEPARTURE | 2 SM |
| • Student pilot solo maximum wind | 20 KTS |
| • Student pilot maximum crosswind component | 7 KTS |

For supervised solo operation limitations refer to page 30(Supervised Solo Requirements).

WEATHER MINIMUMS FOR LIA OPERATIONS CAN ONLY BE WAIVED BY MANAGER

WEIGHT AND BALANCE/PERFORMANCE

All pilots are required to complete a weight and balance and performance calculation prior to flight.

Pilots must use the aircraft's actual weight and balance; this information is located on each aircrafts **weight and balance/equipment list** (located in the aircraft).

All Aircraft's Data Card spreadsheets are provided by LIA for weight and balance. The information is for reference only, can be obtained at:

<https://longislandaviators.com/flight-planning/>

LIA retains the right to inspect the weight and balance and performance calculation upon request by the Managers or Flight Desk staff.

SUPERVISED SOLO

Instructors conducting supervised solo must provide Long Island Aviators a copy of the following endorsements **prior to first solo flight**:

1. Complete a Pre-Solo Progress check with an Authorized IP(Within the previous 45 days)
2. Pre-Solo Aeronautical Knowledge Endorsement
3. Pre-Solo Flight Training Endorsement
4. Solo Flight (First 90 Calendar-Day Period) Endorsement
5. Solo Takeoffs and Landings at Another Airport within 25 NM Endorsement
6. Renter's Insurance (1 year policy) with a minimum of \$40,000 aircraft damage coverage
7. For each solo(including initial and any additional solo) must be approved by the students CFI(must be via text, email or in person)

Before an IP approves any kind of solo, the following weather requirements must be met:

- The airport where the solo event is being conducted must be in VFR conditions
- A maximum winds of 20 KTS.
- A crosswind component may not exceed 7 KTS or more
- Visibility must be greater than six (6) statute miles
- Ceiling must be greater than three-thousand (3,000) feet
- No adverse weather conditions may be present (i.e., gusty conditions, shifting winds, wind shear, dust devils, virga, etc.)

The student will provide Long Island Aviators the following documents :

- Student Pilot Certificate
- Medical Certificate
- Insurance Policy Number

SOLO CROSS COUNTRY

Instructors conducting supervised solo cross country must:

1. Require their students to file a VFR flight plan.
2. The flight plan must be activated if not able to get VFR flight following
3. The IP must retain a copy of the flight plan

AIRCRAFT LIMITATIONS

Certain planes are not allowed for training, spins or touch and go's.

- N522JW is only for IFR training and cross country
- C-152s are approved aircrafts for spins(requires W&B for every flight)
- N144JK requires Manager check out
- N2097S requires appropriate endorsements, PPL, Instrument Rating and 5 hours in type

Long Island Aviators reserves the right to deny access to the online scheduling application to any pilot. Denial of access is generally the result of the pilot's account in arrears, incomplete pilot profile, and/or incident/accident.

Please, visit www.longislandaviators.com Rules & Regulations for scheduling practices.

NOISE ABATEMENT

All LIA pilots are required to cooperate fully with all efforts to assist in the reduction of noise in any area and will adhere to any local noise abatement procedures published by local or airport authorities.

Pilots are also reminded to avoid repetitive use of any area that could lead to complaints during ground reference maneuver practice.

Documented noise abatement procedures have been established at Republic Airport (KFRG). LIA pilots are encouraged to comply with established procedures and promote good will in the community in which we operate.

Noise abatement procedures for specific airports may be requested by contacting the airport manager for the airports of intended use. This information is available in the current Chart Supplement publication.

These voluntary procedures should be followed by all LIA pilots. However, at no time will flight safety be compromised in order to comply with noise abatement procedures

PRACTICE AREAS

RADAR SERVICES

The use of radar services is highly recommended while operating in the practice areas. Obtaining radar services does not alleviate the pilot from adhering to 14 CFR requirements. When radar services are provided, pilots must maintain a continuous watch on the appropriate frequency and respond to ATC calls. If the pilot continues to miss ATC calls, cancel radar services and proceed to an area of the practice area with less traffic and monitor the ATC frequency.

In the event where ATC is unable to provide radar services, the pilot is advised to monitor the ATC frequency.

FLIGHT MANEUVERS

The pilot-in-command is responsible for adhering to 14 CFR requirements at all times. Pilots are required to conduct a Pre-maneuvering Checklist and clearing turns prior to any practice flight maneuver. During flight maneuvers, the pilot must assure the airspace required for the flight maneuver and its vicinity is cleared from traffic. If traffic is detected during the flight maneuver, the pilot must abort the maneuver and maintain visual separation from that traffic.

INSTRUMENT APPROACHES

Prior to practice instrument approach flights where a safety pilot is required, the two pilots must establish who is the pilot-in-command during the entire flight. The role of the safety pilot must be established. If the safety pilot declines to act as pilot-in-command while the pilot flying is under a view limiting device, the flight is not authorized to be conducted by LIA.

The pilot acting as pilot-in-command is responsible for collision avoidance and separation when conducting instrument approaches in visual meteorological condition. Pilots must maintain a scan outside and exercise, see and avoid at all times.

The use of current published instrument approach procedures is required for practice instrument approaches and IFR operations.

When conducting instrument approaches to a non-towered airport, provide continuous position reports on the CTAF, advising distance from the airport and altitude. Exercise good decision-making, breaking off the approach at a point where you can safely execute a missed approach while not interfering with any pattern traffic flow, unless maneuvering for a landing. Exercise good judgment and decision-making and maintain safety and situational awareness

PARACHUTE ACTIVITY

Beware of extensive parachute activity at Brookhaven Airport (KHWV). Skydive aircrafts may be authorized to land on closed runways or secondary (non-wind favoring runways), so pilots should exercise extreme caution when operating in the vicinity of these airports when parachuting activities are in progress.

Consult the Chart Supplement and current NOTAMS for parachute activity.

GLIDER ACTIVITY

Glider airplane operates during daylight hours at Brookhaven Airport (KHWV). Consult the Chart Supplement and current NOTAMS for glider activity.

MINIMUM ALTITUDE

Pilots are required to meet 14 CFR 91.119 requirements. At no time shall flight be conducted below 500 feet AGL while in the practice area.

SPIN RESTRICTIONS

Spin training is only permitted in courses approved by LIA for spin training, with the following restrictions:

- Spins will only be conducted in an airplane certified for spins.
- Spins are permitted on dual flights only.
- Spins are permitted only when required by the specific lesson and unit in the approved curriculum in courses leading to Flight Instructor certification.
- Spins must be entered at an altitude of 6,000 feet AGL or higher.
- Spins in either direction must be fully recovered no later than two full turns.
- Spins must be approved by a Manager/TMs and with an approved spin trainer

INSTRUMENT TRAINING OPERATIONS PARTIAL PANEL INSTRUMENT MANEUVERS

All partial panel instrument maneuvers must be performed in visual meteorological conditions (VMC) with visibility 5 SM or greater. No partial panel instrument maneuver may be performed above a ceiling at night. In the judgment of the instructor, outside visual references and cockpit lighting must be adequate.

In Garmin G1000 (or equivalent) equipped aircrafts, **pulling of circuit breakers to simulate a partial panel condition is prohibited.**

NIGHT TRAINING OPERATIONS

External lighting will be illuminated during all night operations when appropriate.

LIA aircrafts will taxi on open, approved, and well-lit taxiways and runways only (any deviation must be officially approved by the Managers/TMs).

The full length of the runway must be used for all night takeoffs at all LIA- approved airports.

All night landings must be to a full stop and taxi back for runway lengths of less than 3,000 feet. Stop-and-go, touch-and-go landings may be conducted provided the runway length is at least 4,000 feet and runway remaining for takeoff is at least 200% of the calculated required takeoff distance..

MEDIA AND COMMUNICATION

NEWS MEDIA COMMUNICATION

No pilot of a Long Island Aviators airplane may make any statement to the members of the press on behalf of Long Island Aviators, its aircrafts, its affiliates, or the details surrounding an accident or incident.

Only statement any employee of LIA can provide to the media is:

- “No comment.”
- “Please contact Long Island Aviators Managers.”

Long Island Aviators does not discuss on-going investigations.

SOCIAL MEDIA

Long Island Aviators does not discourage the use of social media by its employees. However, we do encourage that discretion be used when utilizing social media.

Please, remember that potential employers will conduct research on your social media activities prior to hiring you. Government agencies also conduct similar searches on social media activities.

GENERAL FLIGHT RESTRICTIONS

Weather minimums for LIA operations:

- Ceilings (ALL IFR OPS) ARRIVAL/DEPARTURE 800' Ceiling
- Visibility (ALL IFR OPS) ARRIVAL/DEPARTURE 2 SM
- Student Pilot (initial)solo maximum wind 20 KTS
- Student Pilot (initial)maximum crosswind component 7 KTS
- Student Pilot solo must be conducted with visibility greater than six 6 SM and ceiling greater than three thousand (3000').
- No flight shall be conducted if the forecast along any part of the route of flight includes hazardous weather conditions such as icing.

Additional Restrictions:

- Formation flying is prohibited.
- Aerobatic Flight maneuvers are prohibited with the exception of the required maneuvers listed in the Airman Certification Standards (ACS) pertaining to the rating being sought.
- Grass strips are prohibited.
- Operations below 500' AGL are prohibited with the exception of take offs and landings.
- Hand propping of aircraft is prohibited.
- Any area within 10' of a propeller should be considered hazardous whether the engine is running or not. Always exercise extreme caution.
- Multi-engine aircraft are only permitted to operate in/out of 4000' RWYs.
- Flight outside of the USA must be approved and coordinated with LIA management thirty (30) days prior to departure.
- Cross-countries are restricted to 350 n.m. from KFRG.
- Doors and windows must be remained closed at all times during flight.

Only managers can waive the above restrictions.

WINTER OPERATIONS

The following applies when the outside temperature is less than 32F:

- No engine starting unless the aircraft has been on preheat for at least one hour (1).
 - Engines with carburetors; no pumping the throttles to prime, use the PRIMER instead.
 - Aircrafts on ECHO RAMP no engine starting before 8 am (unless prior coordination with management for pre-heat).
 - If you have any difficulty starting the engine, call or text maintenance and we will help.
 - If you experience an engine fire during start, continue cranking without fuel to suck the fire into the engine. And notify maintenance as soon as possible.
 - TKS is kept at the office and on the Deck Boxes at ECHO. A light spray coat will help eliminate ice/frost, do not over spray.
- If you need help applying the TKS please, reach out to our maintenance personnel.